

Speech Guard™

Speech privacy is a hot topic in executive, legal and TM offices where confidentiality is crucial. Lighting fixtures have been identified as a significant path for speech to enter the ceiling plenum and traveling to neighboring areas. **Speech Guard™** provides a patented acoustic seal above the light fixture while maintaining air flow.



Studies have shown the use of **Speech Guard™** to insure privacy results in..

- Higher worker productivity.
- Improved worker morale.
- Reduced threat of corporate espionage.

For further information visit us at www.speechguard.net or call us a 908-508-0050



spirit™

Professional Acoustic Solutions

Protect your company with **Speech Guard™**

95% Speech Absorption and Diffu

CUT INTO TWO PIECES.
* THICKNESS VARIATIONS WILL OCCUR IN TRANSITION AREAS.
* TOLERANCES: EDGE THICKNESS $\pm 1/8"$
TRANSITION AREA THICKNESS $+1/8"$ $-1/2"$
CUT/OUTS AND TRIM $\pm 1/8"$
MATCHING IS ACCEPTABLE IN TRANSITION AREAS.



(95% Speech Absorption and Diffusion)

Protect your Facility with Speech Guard™

(Ventilation opening)

(Mounting Clips)

(Electrical access)


Treatments that include Speech Guard™ and Shield Guard™ provide an NIC of 42

Patent application (No. 60/689,017)
www.speechguard.net

95% Speech Absorption and Diffusion

VENT HOLES (2) PER SIDE 1/2" X 7" (OUT@25")
(2) PER SIDE 3/8" X 1 5/8"
BY SLOTS (2) PER SIDE 1 1/2"
7.000 (TYP.)
7.036 (TYP.)



Side View Details....



Patent application (No. 60/689,017)



Protect your Facility with **Speech Guard™**



INSTALLATION : Mounting Clip. Snaps onto existing ceiling grid to ensure acoustic seal.

DIMENSIONS: 28" X 28" X 9" Or 28" X 52" X 9"

FIRE CLASSIFICATION: Class A

TESTING METHOD ASTM E-84-05 (UL STANDARD 723)

Product	Flame Spread	Smoke Developed	ICBO	ICC	BOCA	SBCCI
Speech Guard	15	5	ALL TYPES	ALL TYPES	ALL TYPES	ALL TYPES

Speech Guard™ complies with Uniform Building Code (ICBO), National Building Code (BOCA), Standard Building Code (SBCCI) and International Building Code (ICC). Speech Guard™ meets and exceeds the National Electrical Code pertaining to the installation of this product over lighting fixtures.

Contact :

Spirit Acoustics Inc.
114 Mountain Ave.
Berkeley Heights, NJ 07922

Tel: (908)508-0050
Fax: (908)464-6497
E-mail: saisupport@comcast.net
www.speechguard.net



spirit™

Professional Acoustic Solutions